NOC. NO19193

REGISTERED

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan 10A, Block-LA, Sector-III Salt Lake City, Kolkata - 700 098

Memo No. 9442 -2N-486/2003

Dated 28 10 2004

From:

Member Secretary,

West Bengal Pollution Control Board

M/S. DEY'S MEDICAL STORES ( MANUFACTURING) LTD. (DEY-SE-CHEM DIVISION) 6/D, Nelly Sengupta Sarani,

To: Kolkata 700 087.

Sub: Consent to Establish (NOC) from Environmental Point of View NGAL

BSC/F/WBPOL/3-03-04

Ref: Your letter No. letter dated 13.8,2004

Dated 28.1.2004 and

Dear Sirs,

for manufacturing/storage/installation Herbal extract-40,000 ltrs/month

at ....existing factory premises 8. Rifle Range Road, Kolkata 700 019. this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point of the above subject to the following conditions and special conditions annexed.

- The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS: 2490(pt.l) of 1974: and/or its subsequent amendment and Environment (Protection) Rules 1986;
- 2. Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above;
- You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according
  to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be
- 4. All emission from your factory shall conform to the standards as laid down by this Board;
- 5. No. emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Control of Pollution)
- 6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed / reconstructed/erected re-erected without prior approval of this Board;